

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com

Bird Control Netting

The most effective method of securing a net in the required position is attaching it to a wire that is tensioned and covers the area required.

Expanding eye bolts are the main fixings for the wire, Beam Bolts in metalwork, which should be used at net corners and at 5 to 10 metre intervals along the wire.

Intermediate fixings should be used between the main fixings to hold the wire tight against the structure. Intermediate fixings are recommended at 0.3m for Sparrow, 0.5m for Starling and 1.0m centres for pigeon and Gull.



All netting supplied by Sicor is manufactured in our own European factories to the highest specification. The netting has a particularly long life due to the high quality of raw materials used in its production.

Excellent abrasion qualities, non absorption of water, chemically inert and unaffected by extremes of hot and cold weather makes the Sicor net outstanding as the markets quality product.



Type	Mesh Size	Bird Protection
12/6 HDPE	75mm (3")	Seagull
12/6 HDPE	50mm (2")	Pigeon
12/6 HDPE	40mm (1-1/2")	Pheasant
12/6 HDPE	28mm (1-1/8")	Starling
12/6 HDPE	19mm (3/4")	Sparrow


Flame Retardent Bird Netting manufactured by Sicor with a 12/6 construction polyethylene twine, flame retardent and conforms to BS 5438:1976. Certificate of conformance supplied with each net.

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com




www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com



Black



Stone



Flame Retardant



Translucent

DISCOUNTS ON ALL PRICES CAN BE OFFERED FOR LARGE VOLUME ORDERS

All net sizes available with a next day delivery on most rectangular sizes. Special sizes such as triangles and circular nets 7 days from receipt of order.

Corners and long sides are clearly marked for trouble free installation

All sizes available to meet customer specifications.

Stock Sizes available for **NEXT DAY** delivery

Colours, Black, Stone Translucent, Black F/R

5m x 5m
5m x 10m
10m x 10m
10m x 15m
20m x 20m

All other sizes & orders are processed and dispatched **within one working week.**

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com

Fittings

The following are all available from Sicor International:

Corner Fixings
Intermediate Fixings
Net Installation Tools

NETTING ACCESS ZIPS



The addition of a **zip** to gain access behind bird proof netting makes maintenance simple and should avoid accidental damage to the net.

A non corrosive easy to use means of access. Zips are fitted after net installation. Held in place by hog rings, the zip is then undone and the mesh behind cut for access. A No. 9 zip suits both 19mm and 50mm netting but for 19mm cut two meshes. For 28mm net use No. 5 nets

CODE	Description	Pack
SN2065	No 5 Size Zip 0.5mm Long	Each
SN2066	No 9 Size Zip 0.5mm Long	Each
SN2067	No 9 Size Zip 1.0mm Long	Each
SN2068	No 9 Size Zip 2.0mm Long	Each

NET STRAINING WIRES:

The netting is attached to the straining wire using hog rings (ideally in every mesh of the net). These are applied using P7 hog ring pliers leaving the net taut and square with no gaps for birds to get through. A Strong yet flexible 7x7 wire rope available in either galvanised or 316 grade stainless steel. 3mm, 2mm or 1.5mm diameter on 100m or 250m reels. A less flexible 19ply cable is also offered. Other specifications can be supplied. 2.5mm black nylon coated 7x7 galvanised wire is also available from stock.

CODE	Description	Pack
SW2233	1.5mm 7x7 Galvanised	100m
SW2234	1.5mm 7x7 Galvanised	250m
SW2235	1.5mm 7x7 Stainless Steel	100m
SW2239	2mm 7x7 Galvanised	250m
SW2240	2mm 7x7 Galvanised	100m
SW2241	2mm 19ply Galvanised	250m
SW2242	2mm 7x7 Stainless Steel	250m
SW2243	2mm 7x7 Stainless Steel	100m
SW2244	3mm 7x7 Galvanised	100m
SW2245	3mm 7x7 Stainless Steel	100m

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com

HOG RING PLIERS & RINGS



Clip holds 50 hog rings. Spring loaded easy one handed operation for attaching bird nets to wire. Hog rings are supplied in a choice of standard, aluminium or stainless steel.

CODE	Description	Pack
SW2250	Bostitch P7 Pliers	Each
SW2251	Standard Hog Rings	2,000
SW2252	Aluminium Hog Rings	2,500
SW2253	Stainless Steel Hog Rings	2,500



WIRE ROPE GRIPS: 3mm wire rope grips are available in galvanised or 316 stainless steel and will fit 2mm, 2.5mm and 3mm wire rope.

Use 5.5mm nut spinner for stainless steel and 7mm nut spinner for galvanised fittings

NUT SPINNERS: Eclipse nut spinners for rapid fitting of wire rope grips.

CODE	Description	Pack
SA2255	3mm Galvanised	50
SA2256	3mm Stainless Steel	10
SA2263	5.5mm Nut Spinner	Each
SA2264	7mm Nut Spinner	Each



WIRE CUTTERS: C7 Wire Cutters - The best available, will cut wire rope up to 4mm diameter.

D8 Wire Cutters - A less expensive alternative to the C7, will cut wire up to 5mm diameter

CODE	Description	Pack
SA2254	D8 Wire Cutters	Each
SA2257	C7 Wire Cutters	Each

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com

RATCHET CRIMP PLIERS & FERRULES

Ratchet Crimp Pliers - For aluminium and copper ferrules.



Ferrules - For galvanised wire use aluminium ferrules and for stainless steel, copper ferrules should be used.

2mm Ferrules suit 1.5mm wire 2.5mm Ferrules suit 2mm wire (On runs that exceed 5m or so 2 ferrules should be used at each loop.) For 2.5mm and 3mm wire use wire rope grips.

CODE	Description	Pack
SA2258	Ratchet Crimp Pliers	Each
SA2259	2mm Aluminium Ferrules	100
SA2260	2mm Copper Ferrules	100
SA2261	2.5mm Aluminium Ferrules	100
SA2262	2.5mm Copper Ferrules	100

ST1 STAPLE TACKER



A heavy duty hand operated staple gun for securing nets to timber. Use 10mm (3/8") galvanised or stainless steel

CODE	Description	Pack
SA2265	ST1 Staple Tacker	Each
SA2267	10mm Staples Galvanised	5000
SA2268	10mm Staples Stainless Steel	5000

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com



BARREL STRAINERS : Hook and eye strainers in galvanised or stainless steel 316 grade. Size M5 and especially M6 are commonly used but we can supply the larger M8 or the galvanised M3.5 version. For small areas, in stainless steel, we can offer M4.

CODE	Description	Pack
SA2271	M3.5 Galvanised	10
SA2272	M5 Galvanised	10
SA2273	M6 Galvanised	10
SA2274	M8 Galvanised	10
SA2275	M6 Stainless Steel	Each
SA2276	M5 Stainless Steel	Each
SA2277	M4 Stainless Steel	Each
SA2278	M8 Stainless Steel	Each



EYEBOLTS & HOOK BOLTS: These carry the weight of the straining wire and netting and are used at the corners of the net and wherever the straining wire changes direction. They also support crosswires and on long runs should be used every 8-10m

Standard M6 & M8 Eyebolts and Hook Bolts. High loadbearing main fixings complete with zinc passivated expander shields, for a heavy duty fixing. M6 & M8 forged eyebolts are available to order. For M6 drill 10mm. Forged M6 drill 12mm. M8 or forged M8 drill 14mm

CODE	Description	Pack
SA2281	M6 Galvanised Eyebolt	10
SA2282	M6 Galvanised Hook Bolt	10
SA2283	M6 Zinc Forged Eyebolt	10
SA2287	M8 Galvanised Eyebolt	10
SA2288	M8 Galvanised Hook Bolt	10
SA2289	M8 Zinc Forged Eyebolt	10

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com

BEAM BOLT & MULTI-PURPOSE CABLE BRACKET



Passivated eyebolts complete with fixings. A heavyweight fixing for attachment to flanges of girders. Drill size 6.5mm

An ideal stainless steel bracket which can be used as an end bracket, intermediate bracket as a permanent fixture or as a quick release cable holder if access is needed behind netting.

High spec. 316 M6 stainless steel eyebolt complete with penny washer and expander shield Drill 10mm

CODE	Description	Pack
SA2291	Beam Bolt Stainless Steel	10
SA2292	Beam Bolt Galvanised	10
SA2294	Stainless Steel Bracket	100
SA2296	M6 Stainless Steel	10

HILTI HANGERS



Zinc plated intermediate fixing for straining wire. Drill 8mm maximum. Simple hammer home fix/ An alternative slimline hanger is available

DRIVE RIVETS & SPLIT PINS:

Stainless steel 316 grade split pins with grey nylon drive rivets are available in 3 sizes. These are used as fixings for straining wire.

CODE	Description	Pack
SA2298	Hilti Hanger	100
SA2299	Slimline Hanger	100
SA2325	50mm Nylon Drive Rivet	100
SA2326	50mm Split Pins S/S	100
PW2191	25mm Split Pins S/S	100
PW2192	38mm Split Pins S/S	100
PW2193	25mm Nylon Drive Rivet	100
PW2194	38mm Nylon Drive Rivet	100

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com

SCREW EYES:



The stainless steel screw eye offers a very economical quality fixing and is also available as a 100mm vine eye (to order). The range includes a brass cup hook, bright zinc plated 75mm vine eye and a 75mm BZP vine eye.

CODE	Description	Pack
SA2310	30mm Brass Cup Hook	100
SA2311	40mm BZP Screw Eye	100
SA2312	45mm Stainless Screw Eye	100
SA2313	35mm Brass Screw Eye	100
SA2314	75mm BZP Vine Eye	100
SA2315	100mm Stainless Vine Eye	100



CUP HOOKS AND SCREWS:

A collection of screw fixings for timber or stone if used in conjunction with a plastic plug. Stainless steel panhead screws and plastic plugs available in 3 sizes are available in stock.

CODE	Description	Pack
SA2316	Yellow Plastic Plug	100
SA2317	Red Plastic Plug	100
SA2318	Brown Plastic Plug	100
SA2321	8x19mm Posi Panhead S/S	100
SA2322	8 x 25mm Posi Panhead S/S	100

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com



BEAM CLIPS :

A selection of hammer-on secure fixings for straining wire or mesh panels where drilling is not an option.

Galvanised or stainless finish flanges on girders and beams up to 20mm thick.

CODE	Description	Pack
SA2331	2 - 4mm Galvanised	100
SA2332	5 - 9mm Galvanised	100
SA2333	10 - 16mm Galvanised	100
SA2334	17 - 20mm Galvanised	100
SA2336	3 - 7mm Stainless Steel	100
SA2337	8 - 13mm Stainless Steel	100
SA2338	14 - 20mm Stainless Steel	100



GIRDER CLAMPS:

316 stainless steel bolt on clamp for flanges in excess of 20mm.

50mm clamp fits 20 - 50mm flange.

75mm clamp fits 40 - 75mm flange.

CODE	Description	Pack
SA2339	50mm Girder Clamp	10
SA2340	75mm Girder Clamp	10

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com

SPECIALIST FIXINGS:



Multi-Purpose Clip - A S/S sturdy fixing to support netting or straining wire. Use together with self driving screws into cladding or with No 8x25mm panhead screw and plastic plug for fixing into brickwork or stone.

Angle Bracket - 25mm x 25mm zinc passivated with 7mm and 4mm diameter holes.

Self Drilling Screws - With hexagonal head for special drill attachment. Available in BZP or S/S finish

Nylon Hook - 'S' shaped snap-on nylon hook to join 2 pieces of net or to provide occasional access for maintenance.

CODE	Description	Pack
SA2341	25mm Angle Bracket	100
SA2344	25mm BZP Self Drill Screw	100
SA2345	19mm BZP Self Drill Screw	100
SA2347	25mm S/S Self Drill Screw	100
SA2350	Hex Head Drill Attachment	Each
SA2352	S Shaped Hook	100
SA2354	S/S Multi-Purpose Clip	100



SDS PLUS MASONRY DRILL BITS:

A range of SDS PLUS masonry drill bits suitable for hand or power tools.

CODE	Description	Pack
SA2370	SDS+ 5mm x 100mm	Each
SA2379	SDS+ 5.5mm x 100mm	Each
SA2371	SDS+ 6mm x 100mm	Each
SA2372	SDS+ 6.5mm x 100mm	Each
SA2373	SDS+ 7mm x 100mm	Each
SA2374	SDS+ 8mm x 100mm	Each
SA2375	SDS+ 10mm x 100mm	Each
SA2376	SDS+ 11mm x 100mm	Each
SA2377	SDS+ 12mm x 100mm	Each
SA2378	SDS+ 14mm x 100mm	Each

Gore Cross Business Park
Bridport, Dorset, DT6 3UX
Tel: 01308 428224
Fax 01308 428228
E-mail: sales@sicor-int.com



www.sicor-int.com

Also At: Murcar Industrial Estate
Denmore Road, Bridge of Don
Tel: 01224 707560
Fax 01224 707561
E-mail: aberdeen@sicor-int.com



STRAIGHT SHANK MASONRY DRILL BITS:

A range of straight shank masonry drill bits suitable for hand or power tools.

CODE	Description	Pack
SA2381	SS 5mm x 85mm	Each
SA2382	SS 6mm x 150mm	Each
SA2383	SS 6.5mm x 150mm	Each
SA2384	SS 8mm x 150mm	Each
SA2385	SS 10mm x 150mm	Each
SA2386	SS 11mm x 150mm	Each
SA2387	SS 12mm x 150mm	Each
SA2388	SS 14mm x 150mm	Each



HIGH SPEED STEEL DRILL BITS:

A range of high speed steel drill bits suitable for hand or power tools.

CODE	Description	Pack
SA2391	HSS 3.3mm	Each
SA2392	HSS 3.5mm	Each
SA2393	HSS 4mm	Each
SA2394	HSS 4mm Tungsten	Each
SA2395	HSS 5mm	Each
SA2396	HSS 6.5mm	Each
SA2397	HSS 6.5mm Tungsten	Each